

## **Product datasheet for TA373730**

## **ASCL4 Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type: Primary Antibodies** 

IHC, WB **Applications:** 

Recommended Dilution: WB.1:500 - 1:2000

IHC,1:50 - 1:100

Reactivity: Human, Mouse, Rat

**Modifications:** Unmodified

Rabbit Host: Isotype: lgG

Clonality: Polyclonal

Immunogen: Recombinant fusion protein containing a sequence corresponding to amino acids 1-172 of

human ASCL4 (NP\_982260.2).

Formulation: Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

Concentration: lot specific

**Purification:** Affinity purification

Conjugation: Unconjugated

Store at -20°C. Avoid freeze / thaw cycles. Storage:

Stability: Shelf life: one year from despatch.

**Predicted Protein Size:** 19kDa

Gene Name: achaete-scute family bHLH transcription factor 4

Database Link: Entrez Gene 121549 Human

Q6XD76

Background: Basic helix-loop-helix transcription factors, such as ASCL4, are essential for the determination

of cell fate and the development and differentiation of numerous tissues (Jonsson et al., 2004

[PubMed 15475265]).[supplied by OMIM, Mar 2008]

bHLHa44: HASH4 Synonyms:




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**



Western blot analysis of extracts of various cell lines, using ASCL4 antibody (TA373730) at 1:1000 dilution. |Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. |Lysates/proteins: 25ug per lane. |Blocking buffer: 3% nonfat dry milk in TBST. |Detection: ECL Enhanced Kit. |Exposure time: 180s.