

# Product datasheet for TA373855S

## **ATR Rabbit Polyclonal Antibody**

### **Product data:**

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

| Product Type:           | Primary Antibodies  |
|-------------------------|---|
| Applications:           | IHC, WB   |
| Recommended Dilution:   | WB,1:500 - 1:2000<br>IHC,1:50 - 1:200   |
| Reactivity:             | Human, Mouse, Rat   |
| Modifications:          | Phospho T1989   |
| Host:                   | Rabbit  |
| lsotype:                | lgG   |
| Clonality:              | Polyclonal  |
| Immunogen:              | A phospho synthetic peptide corresponding to residues surrounding T1989 of Human ATR. |
| Formulation:            | Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.                               |
| Concentration:          | lot specific  |
| Purification:           | Affinity purification   |
| Conjugation:            | Unconjugated  |
| Storage:                | Store at -20°C. Avoid freeze / thaw cycles.   |
| Stability:              | Shelf life: one year from despatch.   |
| Predicted Protein Size: | 294kDa/297kDa/301kDa  |
| Gene Name:              | ATR serine/threonine kinase   |
| Database Link:          | <u>Entrez Gene 545 Human</u><br><u>Q13535</u>   |




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

#### **GRIGENE** ATR Rabbit Polyclonal Antibody – TA3738555

**Background:** The protein encoded by this gene belongs the PI3/PI4-kinase family, and is most closely related to ATM, a protein kinase encoded by the gene mutated in ataxia telangiectasia. This protein and ATM share similarity with Schizosaccharomyces pombe rad3, a cell cycle checkpoint gene required for cell cycle arrest and DNA damage repair in response to DNA damage. This kinase has been shown to phosphorylate checkpoint kinase CHK1, checkpoint proteins RAD17, and RAD9, as well as tumor suppressor protein BRCA1. Mutations of this gene are associated with Seckel syndrome. An alternatively spliced transcript variant of this gene has been reported, however, its full length nature is not known. Transcript variants utilizing alternative polyA sites exist.

Synonyms: FRP1; MEC1; SCKL; SCKL1

#### **Product images:**



Western blot analysis of extracts of HeLa cells, using Phospho-ATR-T1989 antibody ([TA373855]) at 1:1000 dilution.HeLa cells were treated by Hydroxyurea (4 mM) at 37°C for 20 hours. |Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. |Lysates/proteins: 25ug per lane. |Blocking buffer: 3% nonfat dry milk in TBST. |Detection: ECL Basic Kit . |Exposure time: 180s.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US