

Product datasheet for TA374259S

GPIP137 (CAPRIN1) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: ICC/IF, WB

Recommended Dilution: WB,1:500 - 1:2000

IHC,1:100 - 1:200 IF,1:50 - 1:200

Reactivity: Human, Mouse, Rat

Modifications: Unmodified

Host: Rabbit

Isotype: IgG

Clonality: Polyclonal

Immunogen: Recombinant protein of human CAPRIN1

Formulation: Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

Concentration: lot specific

Purification: Affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C. Avoid freeze / thaw cycles.

Stability: Shelf life: one year from despatch.

Predicted Protein Size: 76kDa/78kDa

Gene Name: cell cycle associated protein 1

Database Link: Entrez Gene 4076 Human

Q14444

Background: CAPRIN1(Caprin-1) is a cytoplasmic phosphoprotein which may regulate the transport and

translation of mRNAs of proteins involved in synaptic plasticity in neurons and cell

proliferation and migration in multiple cell types. Its levels, except in the brain, are tightly correlated with cellular proliferation. Suppression of expression of human Caprin-1 resulted

in slowing of the proliferation rate, which suggests its essential for normal cellular

proliferation.



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Synonyms:

caprin-1; GPI-p137; GPIAP1; GPIP137; M11S1; p137GPI

Product images:





Western blot analysis of extracts of various cell lines, using CAPRIN1 antibody ([TA374259]) at 1:500 dilution. | Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. | Lysates/proteins: 25ug per lane. | Blocking buffer: 3% nonfat dry milk in TBST. | Detection: ECL Basic Kit. | Exposure time: 90s.




Immunofluorescence analysis of C6 cells using CAPRIN1 Rabbit pAb ([TA374259]) at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.









Immunofluorescence analysis of U-2 OS cells using CAPRIN1 Rabbit pAb ([TA374259]) at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.