

Product datasheet for TA374922S

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Acidic Calponin (CNN3) Rabbit Polyclonal Antibody

Product data:

Product Type:Primary AntibodiesApplications:ELISA, ICC/IF, WB

Recommended Dilution: WB,1:500 - 1:1000 IF/ICC,1:50 - 1:200

ELISA, Recommended starting concentration is 1 µg/mL. Please optimize the concentration

based on your specific assay requirements.

Reactivity: Human, Mouse, Rat

Modifications: Unmodified

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Formulation: Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

Concentration: lot specific

Purification: Affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C. Avoid freeze / thaw cycles.

Stability: Shelf life: one year from despatch.

Predicted Protein Size: 36kDa

Gene Name: calponin 3

Database Link: Entrez Gene 1266 Human

Q15417

Background: This gene encodes a protein with a markedly acidic C terminus; the basic N-terminus is highly

homologous to the N-terminus of a related gene, CNN1. Members of the CNN gene family all

contain similar tandemly repeated motifs. This encoded protein is associated with the


cytoskeleton but is not involved in contraction.

Synonyms: 1600014M03Rik; C85854; Calpo3






Product images:




Western blot analysis of various lysates using CNN3 Rabbit pAb ([TA374922]) at 1:500 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 30s.



Immunofluorescence analysis of NIH/3T3 cells using CNN3 Rabbit pAb ([TA374922]) at dilution of 1:50 (40x lens). Secondary antibody: Cy3-conjugated Goat anti-Rabbit IgG (H+L) (AS007) at 1:500 dilution. Blue: DAPI for nuclear staining.





Immunofluorescence analysis of U2OS cells using CNN3 Rabbit pAb ([TA374922]) at dilution of 1:50 (40x lens). Secondary antibody: Cy3-conjugated Goat anti-Rabbit IgG (H+L) (AS007) at 1:500 dilution. Blue: DAPI for nuclear staining.