

Product datasheet for TA375700

PECI (ECI2) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: WE

Reactivity: WB,1:1000 - 1:2000 Human, Mouse, Rat

Modifications: Unmodified

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Recombinant fusion protein containing a sequence corresponding to amino acids 1-364 of

human ECI2 (NP_006108.2).

Formulation: Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

Concentration: lot specific

Purification: Affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C. Avoid freeze / thaw cycles.

Stability: Shelf life: one year from despatch.

Predicted Protein Size: 39kDa/43kDa

Gene Name: enoyl-CoA delta isomerase 2

Database Link: Entrez Gene 10455 Human

<u>075521</u>

Background: This gene encodes a member of the hydratase/isomerase superfamily. The protein encoded

is a key mitochondrial enzyme involved in beta-oxidation of unsaturated fatty acids. It

catalyzes the transformation of 3-cis and 3-trans-enoyl-CoA esters arising during the stepwise

degradation of cis-, mono-, and polyunsaturated fatty acids to the 2-trans-enoyl-CoA

intermediates. Alternatively spliced transcript variants have been described.

Synonyms: Acbd2; Drs1; Hca88; Peci




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:



Western blot analysis of extracts of various cell lines, using ECI2 Rabbit pAb (TA375700) at 1:3000 dilution. | Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. | Lysates/proteins: 25ug per lane. | Blocking buffer: 3% nonfat dry milk in TBST. | Detection: ECL Basic Kit. | Exposure time: 90s.