

Product datasheet for TA375726

EEF1G Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

ICC/IF, IHC, WB **Applications:**

Recommended Dilution: WB.1:500 - 1:2000

IHC,1:50 - 1:100 IF,1:50 - 1:100

Reactivity: Human, Mouse, Rat

Modifications: Unmodified

Host: Rabbit

IgG Isotype:

Clonality: Polyclonal

Recombinant fusion protein containing a sequence corresponding to amino acids 168-437 of Immunogen:

human eEF1G (NP_001395.1).

Formulation: Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

Concentration: lot specific

Purification: Affinity purification

Conjugation: Unconjugated

Store at -20°C. Avoid freeze / thaw cycles. Storage:

Stability: Shelf life: one year from despatch.

Predicted Protein Size: 50kDa/56kDa

Gene Name: eukaryotic translation elongation factor 1 gamma

Database Link: Entrez Gene 1937 Human

P26641

Background: This gene encodes a subunit of the elongation factor-1 complex, which is responsible for the

enzymatic delivery of aminoacyl tRNAs to the ribosome. This subunit contains an N-terminal

glutathione transferase domain, which may be involved in regulating the assembly of

multisubunit complexes containing this elongation factor and aminoacyl-tRNA synthetases.

Synonyms: EF-1-gamma; EF1G; GIG35; PRO1608




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:




Western blot analysis of extracts of various cell lines, using eEF1G antibody (TA375726) at 1:1000 dilution. | Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. | Lysates/proteins: 25ug per lane. | Blocking buffer: 3% nonfat dry milk in TBST. | Detection: ECL Basic Kit. | Exposure time: 5s.



Immunofluorescence analysis of C6 cells using eEF1G Polyclonal Antibody (TA375726) at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.





Immunofluorescence analysis of NIH-3T3 cells using eEF1G Polyclonal Antibody (TA375726) at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.