

## **Product datasheet for TA376102S**

## **OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **TASOR Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

**Applications:** ELISA, WB

Recommended Dilution: WB,1:500 - 1:2000

ELISA,Recommended starting concentration is 1 μg/mL. Please optimize the concentration

based on your specific assay requirements.

Reactivity: Human

Modifications: Unmodified

**Host:** Rabbit

**Isotype:** IgG

**Clonality:** Polyclonal

**Formulation:** Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

**Concentration:** lot specific

**Purification:** Affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C. Avoid freeze / thaw cycles.

**Stability:** Shelf life: one year from despatch.

**Predicted Protein Size:** 189kDa

**Gene Name:** family with sequence similarity 208 member A

Database Link: Entrez Gene 23272 Human

Q9UK61

**Background:** Enables chromatin binding activity. Involved in negative regulation of single stranded viral

RNA replication via double stranded DNA intermediate; protein localization to

heterochromatin; and regulation of gene expression. Located in heterochromatin and


nucleoplasm.

Synonyms: C3orf63; RAP140; se89-1





## **Product images:**



Western blot analysis of various lysates using FAM208A Rabbit pAb ([TA376102]) at 1:3000 dilution.

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST.

Blocking buffer: 3% nonfat dry milk in TE Detection: ECL Basic Kit (RM00020).

Exposure time: 30s.