

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Product datasheet for TA376215

## FGD1 Rabbit Polyclonal Antibody


## **Product data:**

| Product Type:           | Primary Antibodies  |
|-------------------------|---|
| Applications:           | WB  |
| Recommended Dilution:   | WB,1:500 - 1:2000   |
| Reactivity:             | Mouse, Rat  |
| Modifications:          | Unmodified  |
| Host:                   | Rabbit  |
| lsotype:                | IgG   |
| Clonality:              | Polyclonal  |
| Immunogen:              | A synthetic peptide corresponding to a sequence within amino acids 700-800 of human FGD1 (NP_004454.2).   |
| Formulation:            | Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.   |
| Concentration:          | lot specific  |
| Purification:           | Affinity purification   |
| Conjugation:            | Unconjugated  |
| Storage:                | Store at -20°C. Avoid freeze / thaw cycles.   |
| Stability:              | Shelf life: one year from despatch.   |
| Predicted Protein Size: | 106kDa  |
| Gene Name:              | FYVE, RhoGEF and PH domain containing 1   |
| Database Link:          | <u>P98174</u>   |
| Background:             | This gene encodes a protein that contains Dbl (DH) and pleckstrin (PH) homology domains<br>and is similar to the Rho family of small GTP-binding proteins. The encoded protein<br>specifically binds to the Rho family GTPase Cdc42Hs and can stimulate the GDP-GTP<br>exchange of the isoprenylated form of Cdc42Hs. It also stimulates the mitogen activated<br>protein kinase cascade leading to c-Jun kinase SAPK/JNK1 activation. Defects in this gene are<br>the cause of faciogenital dysplasia and X-linked mental retardation, syndromatic 16. |
| Synonyms:               | AAS; FGDY; ZFYVE3   |



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

#### **Product images:**



Western blot analysis of extracts of various cell lines, using FGD1 antibody (TA376215) at 1:1000 dilution. | Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. | Lysates/proteins: 25ug per lane. | Blocking buffer: 3% nonfat dry milk in TBST. | Detection: ECL Basic Kit . | Exposure time: 10s.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US