

# Product datasheet for TA376828

# Glutathione Synthetase (GSS) Rabbit Polyclonal Antibody

## **Product data:**

#### **Product Type: Primary Antibodies** ICC/IF, WB **Applications:** Recommended Dilution: WB.1:500 - 1:2000 **Reactivity:** Human, Mouse, Rat **Modifications:** Unmodified Host: Rabbit Isotype: lgG **Clonality:** Polyclonal Immunogen: Recombinant fusion protein containing a sequence corresponding to amino acids 1-474 of human Glutathione Synthetase (Glutathione Synthetase (GSS)) (NP\_000169.1). Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3. Formulation: **Concentration:** lot specific **Purification:** Affinity purification **Conjugation:** Unconjugated Storage: Store at -20°C. Avoid freeze / thaw cycles. Stability: Shelf life: one year from despatch. Predicted Protein Size: 40kDa/52kDa Gene Name: glutathione synthetase Database Link: Entrez Gene 2937 Human P48637 **Background:** Glutathione is important for a variety of biological functions, including protection of cells from oxidative damage by free radicals, detoxification of xenobiotics, and membrane transport. The protein encoded by this gene functions as a homodimer to catalyze the second step of glutathione biosynthesis, which is the ATP-dependent conversion of gamma-Lglutamyl-L-cysteine to glutathione. Defects in this gene are a cause of glutathione synthetase deficiency. Synonyms: GSH-S; GSHS; MGC14098



View online »


This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn



### **Product images:**



Western blot analysis of extracts of various cell lines, using Glutathione Synthetase (Glutathione Synthetase (GSS)) antibody (TA376828) at 1:1000 dilution. | Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. | Lysates/proteins: 25ug per lane. | Blocking buffer: 3% nonfat dry milk in TBST. | Detection: ECL Basic Kit . | Exposure time: 1s.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US