

## **Product datasheet for TA377143**

## HMG14 (HMGN1) Rabbit Polyclonal Antibody

**Product data:** 

**Product Type:** Primary Antibodies

Applications: ICC/IF, WB

Recommended Dilution: WB,1:500 - 1:2000

IF,1:50 - 1:100

Reactivity: Human, Mouse

Modifications: Unmodified

**Host:** Rabbit

**Isotype:** IgG

Clonality: Polyclonal

**Immunogen:** A synthetic peptide corresponding to a sequence within amino acids 1-100 of human HMGN1

(NP\_004956.5).

**Formulation:** Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

**Concentration:** lot specific

**Purification:** Affinity purification

**Conjugation:** Unconjugated

Store at -20°C. Avoid freeze / thaw cycles.

**Stability:** Shelf life: one year from despatch.

**Predicted Protein Size:** 10kDa

**Gene Name:** high mobility group nucleosome binding domain 1

Database Link: Entrez Gene 3150 Human

P05114

**Background:** The protein encoded by this gene binds nucleosomal DNA and is associated with

transcriptionally active chromatin. Along with a similar protein, HMG17, the encoded protein

may help maintain an open chromatin configuration around transcribable genes.

**Synonyms:** FLJ27265; FLJ31471; HMG14; MGC104230; MGC117425




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**



Western blot analysis of extracts of various cell lines, using HMGN1 antibody (TA377143) at 1:1000 dilution.\_Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution.\_Lysates/proteins: 25ug per lane.\_Blocking buffer: 3% nonfat dry milk in TBST.\_Detection: ECL Enhanced Kit .\_Exposure time: 30s.



Immunofluorescence analysis of HeLa cells using HMGN1 antibody (TA377143) at dilution of 1:100. Blue: DAPI for nuclear staining.