

Product datasheet for TA377237

HSD17B6 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: WE

Reactivity: WB,1:500 - 1:2000 Human, Mouse

Modifications: Unmodified

Host: Rabbit

Isotype: IgG

Clonality: Polyclonal

Immunogen: Recombinant fusion protein containing a sequence corresponding to amino acids 178-317 of

human HSD17B6 (NP_003716.2).

Formulation: Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

Concentration: lot specific

Purification: Affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C. Avoid freeze / thaw cycles.

Stability: Shelf life: one year from despatch.

Predicted Protein Size: 35kDa

Gene Name: hydroxysteroid (17-beta) dehydrogenase 6

Database Link: Entrez Gene 8630 Human

<u>014756</u>

Background: The protein encoded by this gene has both oxidoreductase and epimerase activities and is

involved in androgen catabolism. The oxidoreductase activity can convert 3 alpha-adiol to

dihydrotestosterone, while the epimerase activity can convert androsterone to epi-

androsterone. Both reactions use NAD+ as the preferred cofactor. This gene is a member of

the retinol dehydrogenase family.

Synonyms: 3-alpha->beta-HSE; 17-beta-HSD6; HSE; oxidoreductase; RODH; SDR9C6




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:



Western blot analysis of extracts of various cell lines, using HSD17B6 antibody (TA377237) at 1:1000 dilution. | Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. | Lysates/proteins: 25ug per lane. | Blocking buffer: 3% nonfat dry milk in TBST. | Detection: ECL Basic Kit. | Exposure time: 10s.