

Product datasheet for **TA377304**


IBTK Rabbit Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Applications:	WB
Recommended Dilution:	WB,1:500 - 1:2000
Reactivity:	Human
Modifications:	Unmodified
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	Recombinant fusion protein containing a sequence corresponding to amino acids 900-1200 of human IBTK (NP_056340.2).
Formulation:	Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
Concentration:	lot specific
Purification:	Affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C. Avoid freeze / thaw cycles.
Stability:	Shelf life: one year from despatch.
Predicted Protein Size:	26kDa/133kDa/150kDa
Gene Name:	inhibitor of Bruton tyrosine kinase
Database Link:	Entrez Gene 25998 Human Q9P2D0
Background:	Bruton tyrosine kinase (BTK) is a protein tyrosine kinase that is expressed in B cells, macrophages, and neutrophils. The protein encoded by this gene binds to BTK and downregulates BTK's kinase activity. In addition, the encoded protein disrupts BTK-mediated calcium mobilization and negatively regulates the activation of nuclear factor-kappa-B-driven transcription. This gene has a pseudogene on chromosome 18. Alternative splicing results in multiple transcript variants encoding distinct isoforms.
Synonyms:	BTKI; DKFZP564B116; KIAA1417; MGC142256; MGC142258; RP1-93K22.1



[View online »](#)

Product images:

Western blot analysis of extracts of various cell lines, using IBTK antibody (TA377304) at 1:1000 dilution. | Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. | Lysates/proteins: 25ug per lane. | Blocking buffer: 3% nonfat dry milk in TBST. | Detection: ECL Basic Kit . | Exposure time: 1s.