

## **Product datasheet for TA377506**

## **ING5** Rabbit Polyclonal Antibody

## **Product data:**

**Product Type: Primary Antibodies** 

ICC/IF, WB **Applications:** 

Recommended Dilution: WB.1:500 - 1:2000

IF,1:50 - 1:100

Reactivity: Human

**Modifications:** Unmodified

Rabbit Host: lgG

Isotype:

Clonality: Polyclonal

Immunogen: Recombinant fusion protein containing a sequence corresponding to amino acids 1-220 of

human ING5 (NP\_115705.2).

Formulation: Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

Concentration: lot specific

**Purification:** Affinity purification

Conjugation: Unconjugated

Store at -20°C. Avoid freeze / thaw cycles. Storage:

Stability: Shelf life: one year from despatch.

**Predicted Protein Size:** 25kDa/27kDa

Gene Name: inhibitor of growth family member 5

Database Link: Entrez Gene 84289 Human

08WYH8

Background: This gene encodes a tumor suppressor protein that inhibits cell growth and induces

> apoptosis. This protein contains a PHD-type zinc finger. It interacts with tumor suppressor p53 and p300, a component of the histone acetyl transferase complex, suggesting a role in transcriptional regulation. Alternative splicing and the use of multiple promoters and 3' ends

results in multiple transcript variants.

Synonyms: FLJ23842; p28ING5




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**



Western blot analysis of extracts of 293T cells, using ING5 antibody (TA377506) at 1:1000 dilution. | Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. | Lysates/proteins: 25ug per lane. | Blocking buffer: 3% nonfat dry milk in TBST. | Detection: ECL Basic Kit. | Exposure time: 1s.



Immunofluorescence analysis of MCF-7 cells using ING5 antibody (TA377506). Blue: DAPI for nuclear staining.