

Product datasheet for TA377777S

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

KHDRBS3 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: ELISA, ICC/IF, WB

Recommended Dilution: WB,1:500 - 1:2000

IF/ICC,1:50 - 1:100

ELISA,Recommended starting concentration is 1 μg/mL. Please optimize the concentration

based on your specific assay requirements.

Reactivity: Human, Mouse

Modifications: Unmodified

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Formulation: Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

Concentration: lot specific

Purification: Affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C. Avoid freeze / thaw cycles.

Stability: Shelf life: one year from despatch.

Predicted Protein Size: 39kDa

Gene Name: KH RNA binding domain containing, signal transduction associated 3

Database Link: <u>Entrez Gene 10656 Human</u>

<u>075525</u>

Background: Enables RNA binding activity; identical protein binding activity; and protein domain specific

binding activity. Predicted to be involved in regulation of alternative mRNA splicing, via spliceosome and spermatogenesis. Located in nucleoplasm. Part of protein-containing


complex.

Synonyms: Etle; etoile; SALP; SLM-2; SLM2; T-STAR; TSTAR






Product images:



Western blot analysis of various lysates using KHDRBS3 Rabbit pAb ([TA377777]) at 1:1000 dilution.

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Enhanced Kit (RM00021). Exposure time: 90s.



Immunofluorescence analysis of MCF7 cells using KHDRBS3 Rabbit pAb ([TA377777]).Secondary antibody: Cy3-conjugated Goat anti-Rabbit IgG (H+L) (AS007) at 1:500 dilution.