

Product datasheet for TA377800

Product datasileet for TAS/7600

KIF21A Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: ICC/IF, WB

Recommended Dilution: WB,1:500 - 1:2000

IF,1:50 - 1:200

Reactivity: Human, Mouse

Modifications: Unmodified

Host: Rabbit

Isotype: IgG

Clonality: Polyclonal

Immunogen: Recombinant fusion protein containing a sequence corresponding to amino acids 1070-1270

of human KIF21A (NP_001166935.1).

Formulation: Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

Concentration: lot specific

Purification: Affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C. Avoid freeze / thaw cycles.

Stability: Shelf life: one year from despatch.

Predicted Protein Size: 180kDa/182kDa/185kDa/187kDa

Gene Name: kinesin family member 21A

Database Link: Entrez Gene 55605 Human

Q7Z4S6

Background: This gene encodes a member of the KIF4 subfamily of kinesin-like motor proteins. The

encoded protein is characterized by an N-terminal motor domain a coiled-coil stalk domain

and a C-terminal WD-40 repeat domain. This protein may be involved in microtubule dependent transport. Mutations in this gene are the cause of congenital fibrosis of extraocular muscles-1. Alternate splicing results in multiple transcript variants.

Synonyms: CFEOM; CFEOM1; DKFZp779C159; FEOM; FEOM1; FLJ20052; KIAA1708; KIF2




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:



Western blot analysis of extracts of various cell lines, using KIF21A antibody (TA377800) at 1:1000 dilution. | Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. | Lysates/proteins: 25ug per lane. | Blocking buffer: 3% nonfat dry milk in TBST. | Detection: ECL Basic Kit. | Exposure time: 3min.



Immunofluorescence analysis of L929 cells using KIF21A Rabbit pAb (TA377800) at dilution of 1:100. Blue: DAPI for nuclear staining.