

## **Product datasheet for TA378131S**

## **LRPPRC Rabbit Polyclonal Antibody**

## **Product data:**

**Product Type:** Primary Antibodies

**Applications:** ICC/IF, IHC, WB

Recommended Dilution: WB,1:1000 - 1:2000

IHC,1:100 - 1:200 IF,1:100 - 1:200

Reactivity: Human, Mouse, Rat

Modifications: Unmodified

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Recombinant fusion protein containing a sequence corresponding to amino acids 1041-1394

of human LRPPRC (NP\_573566.2).

**Formulation:** Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

**Concentration:** lot specific

**Purification:** Affinity purification

**Conjugation:** Unconjugated

Storage: Store at -20°C. Avoid freeze / thaw cycles.

**Stability:** Shelf life: one year from despatch.

**Predicted Protein Size:** 157kDa

**Gene Name:** leucine rich pentatricopeptide repeat containing

**Database Link:** Entrez Gene 10128 Human

P42704

**Background:** This gene encodes a leucine-rich protein that has multiple pentatricopeptide repeats (PPR).

The precise role of this protein is unknown but studies suggest it may play a role in

cytoskeletal organization, vesicular transport, or in transcriptional regulation of both nuclear and mitochondrial genes. The protein localizes primarily to mitochondria and is predicted to have an N-terminal mitochondrial targeting sequence. Mutations in this gene are associated

with the French-Canadian type of Leigh syndrome.



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Synonyms:

CLONE-23970; GP130; LRP130; LSFC

## **Product images:**



Western blot analysis of extracts of various cell lines, using LRPPRC antibody ([TA378131]) at 1:1000 dilution.|Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution.|Lysates/proteins: 25ug per lane.|Blocking buffer: 3% nonfat dry milk in TBST.|Detection: ECL Basic Kit.|Exposure time: 5s.



Confocal immunofluorescence analysis of Hela cells using LRPPRC Polyclonal Antibody ([TA378131]) at dilution of 1:400. Blue: DAPI for nuclear staining.