

Product datasheet for TA378852S

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc.

EU: info-de@origene.com CN: techsupport@origene.cn

MYL9 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: ELISA, ICC/IF, WB

Recommended Dilution: WB,1:500 - 1:1000

IF/ICC,1:50 - 1:200

ELISA,Recommended starting concentration is 1 μg/mL. Please optimize the concentration

based on your specific assay requirements.

Reactivity: Human, Mouse, Rat

Modifications: Unmodified

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Formulation: PBS with 0.05% proclin300,50% glycerol,pH7.3.

Concentration: lot specific

Purification: Affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C. Avoid freeze / thaw cycles.

Stability: Shelf life: one year from despatch.

Predicted Protein Size: 20kDa

Gene Name: myosin light chain 9

Database Link: Entrez Gene 10398 Human

P24844

Background: Myosin, a structural component of muscle, consists of two heavy chains and four light chains.

The protein encoded by this gene is a myosin light chain that may regulate muscle

contraction by modulating the ATPase activity of myosin heads. The encoded protein binds calcium and is activated by myosin light chain kinase. Two transcript variants encoding


different isoforms have been found for this gene.

Synonyms: LC20; MGC3505; MLC-2C; MLC2; MRLC1; MYRL2






Product images:





Western blot analysis of various lysates using MYL9 Rabbit pAb ([TA378852]) at 1:1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 90s.



Immunofluorescence analysis of Rat intestine using MYL9 Rabbit pAb ([TA378852]) at dilution of 1:100. Blue: DAPI for nuclear staining.







Immunofluorescence analysis of Human colon carcinoma using MYL9 Rabbit pAb ([TA378852]) at dilution of 1:100. Blue: DAPI for nuclear staining.

Immunofluorescence analysis of Mouse intestine using MYL9 Rabbit pAb ([TA378852]) at dilution of 1:100. Blue: DAPI for nuclear staining.