

Product datasheet for TA379141

NKIRAS1 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: ICC/IF, WB

Recommended Dilution: WB,1:500 - 1:2000

IF,1:50 - 1:200

Reactivity: Mouse, Rat **Modifications:** Unmodified

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Recombinant fusion protein containing a sequence corresponding to amino acids 118-192 of

human NKIRAS1 (NP_065078.1).

Formulation: Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

Concentration: lot specific

Purification: Affinity purification

Conjugation: Unconjugated

Store at -20°C. Avoid freeze / thaw cycles.

Stability: Shelf life: one year from despatch.

Predicted Protein Size: 21kDa

Gene Name: NFKB inhibitor interacting Ras like 1

Database Link: Q9NYS0

Background: Atypical Ras-like protein that acts as a potent regulator of NF-kappa-B activity by preventing

the degradation of NF-kappa-B inhibitor beta (NFKBIB by most signals, explaining why NFKBIB

is more resistant to degradation. May act by blocking phosphorylation of NFKBIB and

mediating cytoplasmic retention of p65/RELA NF-kappa-B subunit. It is unclear whether it acts

as a GTPase. Both GTP- and GDP-bound forms block phosphorylation of NFKBIB.

Synonyms: kappaB-Ras1; KBRAS1




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Product images:



Western blot analysis of extracts of various cell lines, using NKIRAS1 antibody (TA379141) at 1:1000 dilution. | Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. | Lysates/proteins: 25ug per lane. | Blocking buffer: 3% nonfat dry milk in TBST. | Detection: ECL Basic Kit. | Exposure time: 30s.



Immunofluorescence analysis of NIH/3T3 cells using NKIRAS1 Rabbit pAb (TA379141) at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.



Immunofluorescence analysis of PC-12 cells using NKIRAS1 Rabbit pAb (TA379141) at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.

