

Product datasheet for TA379655

Product datasneet for TA3/9053

PAX6 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: ICC/IF, IP, WB

Recommended Dilution: WB,1:500 - 1:2000

IF,1:50 - 1:200

Reactivity: Human, Mouse, Rat

Modifications: Unmodified

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Recombinant fusion protein containing a sequence corresponding to amino acids 1-300 of

human PAX6 (NP_000271.1).

Formulation: Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

Concentration: lot specific

Purification: Affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C. Avoid freeze / thaw cycles.

Stability: Shelf life: one year from despatch.

Predicted Protein Size: 46kDa/48kDa **Gene Name:** paired box 6

Database Link: Entrez Gene 5080 Human

P26367

Background: This gene encodes a homeobox and paired domain-containing protein that binds DNA and

functions as a regulator of transcription. Activity of this protein is key in the development of neural tissues, particularly the eye. This gene is regulated by multiple enhancers located up to hundreds of kilobases distant from this locus. Mutations in this gene or in the enhancer regions can cause ocular disorders such as aniridia and Peter's anomaly. Use of alternate promoters and alternative splicing result in multiple transcript variants encoding different

isoforms.



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Synonyms:

AN; AN2; D11S812E; MGC17209; MGDA; Oculorhombin; OTTHUMP00000038834; OTTHUMP00000038836; OTTHUMP00000038837; OTTHUMP00000038838; OTTHUMP00000038840; WAGR

Product images:



Western blot analysis of extracts of various cell lines, using PAX6 antibody (TA379655) at 1:1000 dilution. | Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. | Lysates/proteins: 25ug per lane. | Blocking buffer: 3% nonfat dry milk in TBST. | Detection: ECL Enhanced Kit. | Exposure time: 180s.



Immunofluorescence analysis of U-2 OS cells using PAX6 antibody (TA379655) at dilution of 1:100. Blue: DAPI for nuclear staining.