

Product datasheet for TA379765

PDK2 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: ICC/IF, WB

Recommended Dilution: WB,1:500 - 1:2000

IF,1:50 - 1:200

Reactivity: Human, Mouse, Rat

Modifications: Unmodified

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Recombinant fusion protein containing a sequence corresponding to amino acids 128-407 of

human PDK2 (NP_002602.2).

Formulation: Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

Concentration: lot specific

Purification: Affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C. Avoid freeze / thaw cycles.

Stability: Shelf life: one year from despatch.

Predicted Protein Size: 38kDa/46kDa

Gene Name: pyruvate dehydrogenase kinase 2

Database Link: Entrez Gene 5164 Human

Q15119

Background: This gene encodes a member of the pyruvate dehydrogenase kinase family. The encoded

protein phosphorylates pyruvate dehydrogenase, down-regulating the activity of the

mitochondrial pyruvate dehydrogenase complex. Overexpression of this gene may play a role

in both cancer and diabetes. Alternatively spliced transcript variants encoding multiple

isoforms have been observed for this gene.

Synonyms: PDHK2




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:



Western blot analysis of extracts of various cell lines, using PDK2 antibody (TA379765) at 1:1000 dilution. | Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. | Lysates/proteins: 25ug per lane. | Blocking buffer: 3% nonfat dry milk in TBST. | Detection: ECL Basic Kit . | Exposure time: 90s.



Immunofluorescence analysis of U2OS cells using PDK2 antibody (TA379765) at dilution of 1:100. Blue: DAPI for nuclear staining.