

## **Product datasheet for TA379918**

**PIGP Rabbit Polyclonal Antibody** 

## **Product data:**

**Product Type:** Primary Antibodies

Applications: WB

Recommended Dilution: WB,1:200 - 1:2000

**Reactivity:** Mouse

Modifications: Unmodified

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Recombinant fusion protein containing a sequence corresponding to amino acids 25-158 of

human PIGP (NP\_710148.1).

**Formulation:** Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

**Concentration:** lot specific

**Purification:** Affinity purification

**Conjugation:** Unconjugated

Store at -20°C. Avoid freeze / thaw cycles.

**Stability:** Shelf life: one year from despatch.

Predicted Protein Size: 12kDa/15kDa/18kDa

**Gene Name:** phosphatidylinositol glycan anchor biosynthesis class P

Database Link: P57054

**Background:** This gene encodes an enzyme involved in the first step of glycosylphosphatidylinositol (GPI)-

anchor biosynthesis. The GPI-anchor is a glycolipid found on many blood cells that serves to anchor proteins to the cell surface. The encoded protein is a component of the GPI-N-acetylglucosaminyltransferase complex that catalyzes the transfer of N-acetylglucosamine (GlcNAc) from UDP-GlcNAc to phosphatidylinositol (PI). This gene is located in the Down Syndrome critical region on chromosome 21 and is a candidate for the pathogenesis of Down syndrome. This gene has multiple pseudogenes and is a member of the phosphatidylinositol

glycan anchor biosynthesis gene family. Alternatively spliced transcript variants encoding

different isoforms have been described.



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Synonyms:

DCRC; DCRC-S; DSCR5; DSCRC; DSRC; OTTHUMP00000109076; OTTHUMP00000109079; phosphatidylinositol-n-acetylglucosaminyltranferas; PIG-P

## **Product images:**



Western blot analysis of extracts of mouse brain, using PIGP antibody (TA379918) at 1:1000 dilution. |Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. |Lysates/proteins: 25ug per lane. |Blocking buffer: 3% nonfat dry milk in TBST. |Detection: ECL Enhanced Kit. |Exposure time: 90s.