

# **Product datasheet for TA380266**

### **PPP2R5D Rabbit Polyclonal Antibody**

### **Product data:**

**Product Type:** Primary Antibodies

**Applications:** ICC/IF, IHC, WB

Recommended Dilution: WB,1:500 - 1:2000

IHC,1:100 - 1:200 IF,1:50 - 1:200

Reactivity: Human, Mouse, Rat

Modifications: Unmodified

**Host:** Rabbit

**Isotype:** IgG

Clonality: Polyclonal

**Immunogen:** A synthetic peptide corresponding to a sequence within amino acids 450-550 of human

PP2A-B56δ/PR61δ/PP2A-B56δ/PR61δ/PPP2R5D (NP 006236.1).

**Formulation:** Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

**Concentration:** lot specific

**Purification:** Affinity purification

**Conjugation:** Unconjugated

Storage: Store at -20°C. Avoid freeze / thaw cycles.

**Stability:** Shelf life: one year from despatch.

Predicted Protein Size: 58kDa/66kDa/69kDa

**Gene Name:** protein phosphatase 2 regulatory subunit B'delta

**Database Link:** Entrez Gene 5528 Human

Q14738



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




#### Background:


The product of this gene belongs to the phosphatase 2A regulatory subunit B family. Protein phosphatase 2A is one of the four major Ser/Thr phosphatases, and it is implicated in the negative control of cell growth and division. It consists of a common heteromeric core enzyme, which is composed of a catalytic subunit and a constant regulatory subunit, that associates with a variety of regulatory subunits. The B regulatory subunit might modulate substrate selectivity and catalytic activity. This gene encodes a delta isoform of the regulatory subunit B56 subfamily. Alternatively spliced transcript variants encoding different isoforms have been identified.

Synonyms: B56D; MGC2134; MGC8949

# **Product images:**




Western blot analysis of extracts of various cell lines, using PP2A-B568/PR618/PP2A-B568/PR618/PP2A-B568/PR618/PP2R5D antibody (TA380266) at 1:1000 dilution. | Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. | Lysates/proteins: 25ug per lane. | Blocking buffer: 3% nonfat dry milk in TBST. | Detection: ECL Basic Kit. | Exposure time: 90s.



Immunofluorescence analysis of L929 cells using PP2A-B56 $\delta$ /PR61 $\delta$ /PP2A-B56 $\delta$ /PR61 $\delta$ /PP2R5D antibody (TA380266) at dilution of 1:100. Blue: DAPI for nuclear staining.





Immunofluorescence analysis of U-2 OS cells using PP2A-B56 $\delta$ /PR61 $\delta$ /PP2A-B56 $\delta$ /PR61 $\delta$ /PP2R5D antibody (TA380266) at dilution of 1:100. Blue: DAPI for nuclear staining.