

Product datasheet for TA380303S

PRDM9 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: WE

Reactivity: WB,1:500 - 1:2000 **Reactivity:** Human, Mouse, Rat

Modifications: Unmodified

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Recombinant protein of human PRDM9.

Formulation: Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

Concentration: lot specific

Purification: Affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C. Avoid freeze / thaw cycles.

Stability: Shelf life: one year from despatch.

Predicted Protein Size: 103kDa

Gene Name: PR domain 9

Database Link: Entrez Gene 56979 Human

Q9NQV7

Background: The protein encoded by this gene is a zinc finger protein with histone methyltransferase

activity that catalyzes histone H3 lysine 4 trimethylation (H3K4me3) during meiotic prophase. This protein contains multiple domains, including a Kruppel-associated box (KRAB) domain, an SSX repression domain (SSXRD), a PRD1-BF1 and RIZ homologous region, a subclass of SET (PR/SET) domain, and a tandem array of C2H2 zinc fingers. The zinc finger array recognizes a short sequence motif, leading to local H3K4me3, and meiotic recombination hotspot activity. The observed allelic variation alters the DNA-binding sequence specificity of the protein, resulting in distinct meiotic recombination hotspots amongst individuals and populations.

Multiple alternate alleles of this gene have been described.



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Synonyms:

PFM6

Product images:



Western blot analysis of extracts of various cell lines, using PRDM9 antibody ([TA380303]) at 1:1000 dilution. | Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. | Lysates/proteins: 25ug per lane. | Blocking buffer: 3% nonfat dry milk in TBST. | Detection: ECL Basic Kit. | Exposure time: 30s.