

## Product datasheet for TA380380

## **DNA PKcs (PRKDC) Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type: Primary Antibodies** 

ICC/IF, WB **Applications:** 

Recommended Dilution: WB.1:500 - 1:2000

IF,1:50 - 1:200

Reactivity: Human

**Modifications:** Phospho S2056

Rabbit Host: Isotype: lgG

Clonality: Polyclonal

Immunogen: A synthetic phosphorylated peptide around S2056 of human DNA-PKcs (NP 008835.5).

Formulation: Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

Concentration: lot specific

**Purification:** Affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C. Avoid freeze / thaw cycles.

Stability: Shelf life: one year from despatch.

**Predicted Protein Size:** 465kDa/469kDa

Gene Name: protein kinase, DNA-activated, catalytic polypeptide

Database Link: Entrez Gene 5591 Human

P78527

Background: This gene encodes the catalytic subunit of the DNA-dependent protein kinase (DNA-PK). It

functions with the Ku70/Ku80 heterodimer protein in DNA double strand break repair and

recombination. The protein encoded is a member of the PI3/PI4-kinase family.

Synonyms: DNA-PKcs; DNAPK; DNPK1; HYRC; HYRC1; p350; p460; XRCC7




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**



Western blot analysis of extracts of HeLa cells, using Phospho-DNA-PKcs-S2056 antibody (TA380380). | Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. | Lysates/proteins: 25ug per lane. | Blocking buffer: 3% BSA.



Immunofluorescence analysis of U2OS cells using Phospho-DNA-PKcs-S2056 antibody (TA380380) at dilution of 1:100. Blue: DAPI for nuclear staining.