

## Product datasheet for **TA380652**

### **p40 (RABEPK) Rabbit Polyclonal Antibody**


#### **Product data:**

<b>Product Type:</b>	Primary Antibodies
<b>Applications:</b>	WB
<b>Recommended Dilution:</b>	WB,1:500 - 1:2000
<b>Reactivity:</b>	Human
<b>Modifications:</b>	Unmodified
<b>Host:</b>	Rabbit
<b>Isotype:</b>	IgG
<b>Clonality:</b>	Polyclonal
<b>Immunogen:</b>	Recombinant fusion protein containing a sequence corresponding to amino acids 1-240 of human RAB9P40 (NP_005824.2).
<b>Formulation:</b>	Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
<b>Concentration:</b>	lot specific
<b>Purification:</b>	Affinity purification
<b>Conjugation:</b>	Unconjugated
<b>Storage:</b>	Store at -20°C. Avoid freeze / thaw cycles.
<b>Stability:</b>	Shelf life: one year from despatch.
<b>Predicted Protein Size:</b>	34kDa/40kDa
<b>Gene Name:</b>	Rab9 effector protein with kelch motifs
<b>Database Link:</b>	<a href="#">Entrez Gene 10244 Human Q7Z6M1</a>
<b>Background:</b>	Rab9 effector required for endosome to trans-Golgi network (TGN transport.
<b>Synonyms:</b>	bA65N13.1; DKFZp686P1077; p40; RAB9P40



[View online »](#)

## Product images:



Western blot analysis of extracts of HeLa cells, using RAB9P40 antibody (TA380652) at 1:3000 dilution. | Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. | Lysates/proteins: 25ug per lane. | Blocking buffer: 3% nonfat dry milk in TBST. | Detection: ECL Basic Kit . | Exposure time: 90s.