

# **Product datasheet for TA381276**

#### **OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Chromogranin C (SCG2) Rabbit Polyclonal Antibody

#### **Product data:**

**Product Type:** Primary Antibodies

Applications: WE

Recommended Dilution: WB,1:500 - 1:2000

Reactivity: Human, Mouse

Modifications: Unmodified

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Recombinant fusion protein containing a sequence corresponding to amino acids 425-617 of

human SCG2 (NP\_003460.2).

**Formulation:** Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

**Concentration:** lot specific

**Purification:** Affinity purification

**Conjugation:** Unconjugated

Storage: Store at -20°C. Avoid freeze / thaw cycles.

**Stability:** Shelf life: one year from despatch.

**Predicted Protein Size:** 70kDa

Gene Name: secretogranin II

Database Link: Entrez Gene 7857 Human

P13521

**Background:** The protein encoded by this gene is a member of the chromogranin/secretogranin family of

neuroendocrine secretory proteins. Studies in rodents suggest that the full-length protein,

secretogranin II, is involved in the packaging or sorting of peptide hormones and

neuropeptides into secretory vesicles. The full-length protein is cleaved to produce the active peptide secretoneurin, which exerts chemotaxic effects on specific cell types, and EM66,


whose function is unknown.

Synonyms: CHGC; Chromogranin-C; EM66; secretoneurin; SgII; SN





## **Product images:**



Western blot analysis of extracts of various cell lines, using SCG2 antibody (TA381276) at 1:1000 dilution. | Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. | Lysates/proteins: 25ug per lane. | Blocking buffer: 3% nonfat dry milk in TBST. | Detection: ECL Basic Kit. | Exposure time: 90s.