

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for TA381340

Selenoprotein M (SELENOM) Rabbit Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Applications:	ELISA, WB
Recommended Dilution:	WB,1:500 - 1:2000 ELISA,Recommended starting concentration is 1 μ g/mL. Please optimize the concentration based on your specific assay requirements.
Reactivity:	Human, Mouse
Modifications:	Unmodified
Host:	Rabbit
lsotype:	lgG
Clonality:	Polyclonal
Formulation:	Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.
Concentration:	lot specific
Purification:	Affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C. Avoid freeze / thaw cycles.
Stability:	Shelf life: one year from despatch.
Predicted Protein Size:	16kDa
Gene Name:	selenoprotein M
Database Link:	<u>Entrez Gene 140606 Human</u> <u>Q8WWX9</u>



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


GRIGENE Selenoprotein M (SELENOM) Rabbit Polyclonal Antibody – TA381340

Background:The protein encoded by this gene belongs to the selenoprotein M/SEP15 family. The exact
function of this protein is not known. It is localized in the perinuclear region, is highly
expressed in the brain, and may be involved in neurodegenerative disorders. Transgenic mice
with targeted deletion of this gene exhibit increased weight gain, suggesting a role for this
gene in the regulation of body weight and energy metabolism. This protein is a
selenoprotein, containing the rare amino acid selenocysteine (Sec). Sec is encoded by the
UGA codon, which normally signals translation termination. The 3' UTRs of selenoprotein
mRNAs contain a conserved stem-loop structure, designated the Sec insertion sequence
(SECIS) element, that is necessary for the recognition of UGA as a Sec codon, rather than as a
stop signal.

Synonyms:

MGC40146; OTTHUMP00000199396; SEPM

Product images:



Western blot analysis of various lysates using SELENOM Rabbit pAb (TA381340) at 1:1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 10s.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US