

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for TA381728

SLIT2 Rabbit Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Applications:	ELISA, WB
Recommended Dilution:	WB,1:200 - 1:2000 ELISA,Recommended starting concentration is 1 μ g/mL. Please optimize the concentration based on your specific assay requirements.
Reactivity:	Human, Mouse
Modifications:	Unmodified
Host:	Rabbit
lsotype:	lgG
Clonality:	Polyclonal
Formulation:	Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.
Concentration:	lot specific
Purification:	Affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C. Avoid freeze / thaw cycles.
Stability:	Shelf life: one year from despatch.
Predicted Protein Size:	170kDa
Gene Name:	slit guidance ligand 2
Database Link:	<u>Entrez Gene 9353 Human</u> <u>O94813</u>



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

SLIT2 Rabbit Polyclonal Antibody – TA381728

Background:This gene encodes a member of the slit family of secreted glycoproteins, which are ligands for
the Robo family of immunoglobulin receptors. Slit proteins play highly conserved roles in
axon guidance and neuronal migration and may also have functions during other cell
migration processes including leukocyte migration. Members of the slit family are
characterized by an N-terminal signal peptide, four leucine-rich repeats, nine epidermal
growth factor repeats, and a C-terminal cysteine knot. Proteolytic processing of this protein
gives rise to an N-terminal fragment that contains the four leucine-rich repeats and five
epidermal growth factor repeats and a C-terminal fragment that contains four epidermal
growth factor repeats and the cysteine knot. Both full length and cleaved proteins are
secreted extracellularly and can function in axon repulsion as well as other specific processes.
Alternative splicing results in multiple transcript variants.

Synonyms: FLJ14420; SLIL3; Slit-2

Product images:



Western blot analysis of lysates from 293T cells

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US