

Product datasheet for TA381995

Serum Response Factor (SRF) Rabbit Polyclonal Antibody

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies
Applications:	WB
Recommended Dilution:	WB,1:500 - 1:2000
Reactivity:	Human, Mouse
Modifications:	Unmodified
Host:	Rabbit
lsotype:	IgG
Clonality:	Polyclonal
Immunogen:	Recombinant fusion protein containing a sequence corresponding to amino acids 1-280 of human SRF (NP_003122.1).
Formulation:	Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
Concentration:	lot specific
Purification:	Affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C. Avoid freeze / thaw cycles.
Stability:	Shelf life: one year from despatch.
Predicted Protein Size:	51kDa
Gene Name:	serum response factor
Database Link:	<u>Entrez Gene 6722 Human</u> <u>P11831</u>




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Serum Response Factor (SRF) Rabbit Polyclonal Antibody – TA381995

Background:This gene encodes a ubiquitous nuclear protein that stimulates both cell proliferation and
differentiation. It is a member of the MADS (MCM1, Agamous, Deficiens, and SRF) box
superfamily of transcription factors. This protein binds to the serum response element (SRE)
in the promoter region of target genes. This protein regulates the activity of many
immediate-early genes, for example c-fos, and thereby participates in cell cycle regulation,
apoptosis, cell growth, and cell differentiation. This gene is the downstream target of many
pathways; for example, the mitogen-activated protein kinase pathway (MAPK) that acts
through the ternary complex factors (TCFs). Two transcript variants encoding different
isoforms have been found for this gene.

Synonyms: ELK3; ERP; MCM1; SAP2

Product images:



Western blot analysis of extracts of various cell lines, using SRF antibody (TA381995) at 1:1000 dilution. | Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. | Lysates/proteins: 25ug per lane. | Blocking buffer: 3% nonfat dry milk in TBST. | Detection: ECL Enhanced Kit . | Exposure time: 180s.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US