

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Product datasheet for TA382315S

## **TAS1R3 Rabbit Polyclonal Antibody**


### **Product data:**

| Product Type:           | Primary Antibodies  |
|-------------------------|---|
| Applications:           | WB  |
| Recommended Dilution:   | WB,1:1000 - 1:4000  |
| Reactivity:             | Human, Mouse, Rat   |
| Modifications:          | Unmodified  |
| Host:                   | Rabbit  |
| lsotype:                | lgG   |
| Clonality:              | Polyclonal  |
| Immunogen:              | Recombinant fusion protein containing a sequence corresponding to amino acids 400-570 of human TAS1R3 (NP_689414.1).  |
| Formulation:            | Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.   |
| Concentration:          | lot specific  |
| Purification:           | Affinity purification   |
| Conjugation:            | Unconjugated  |
| Storage:                | Store at -20°C. Avoid freeze / thaw cycles.   |
| Stability:              | Shelf life: one year from despatch.   |
| Predicted Protein Size: | 93kDa   |
| Gene Name:              | taste 1 receptor member 3   |
| Database Link:          | <u>Entrez Gene 83756 Human</u><br><u>Q7RTX0</u>   |
| Background:             | The protein encoded by this gene is a G-protein coupled receptor involved in taste responses.<br>The encoded protein can form a heterodimeric receptor with TAS1R1 to elicit the umami taste<br>response, or it can bind with TAS1R2 to form a receptor for the sweet taste response. |
| Synonyms:               | OTTMUSP0000011689; Sac; T1R3; T1r3  |



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

#### **Product images:**



Western blot analysis of extracts of various cell lines, using TAS1R3 antibody ([TA382315]) at 1:1000 dilution. | Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. | Lysates/proteins: 25ug per lane. | Blocking buffer: 3% nonfat dry milk in TBST. | Detection: ECL Basic Kit . | Exposure time: 1s.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US