

Product datasheet for TA382485S

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc.

techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Tyrosine Hydroxylase (TH) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: WE

Recommended Dilution: WB,1:500 - 1:1000

IF,1:50 - 1:100

Reactivity: Mouse, Rat **Modifications:** Unmodified

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: A synTyrosine Hydroxylase etic peptide corresponding to a sequence wiTyrosine Hydroxylase

in amino acids 1-100 of human Tyrosine Hydroxylase (NP_954986.2).

Formulation: Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

Concentration: lot specific

Purification: Affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C. Avoid freeze / thaw cycles.

Stability: Shelf life: one year from despatch.

Predicted Protein Size: 44kDa/45kDa/55kDa/56kDa/58kDa

Gene Name: tyrosine hydroxylase

Database Link: P07101

Background: The protein encoded by this gene is involved in the conversion of tyrosine to dopamine. It is

the rate-limiting enzyme in the synthesis of catecholamines, hence plays a key role in the physiology of adrenergic neurons. Mutations in this gene have been associated with autosomal recessive Segawa syndrome. Alternatively spliced transcript variants encoding


different isoforms have been noted for this gene.

Synonyms: DYT5b; DYT14; TYH





Product images:



Western blot analysis of extracts of various cell lines, using Tyrosine Hydroxylase antibody ([TA382485]) at 1:1000 dilution. | Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. | Lysates/proteins: 25ug per lane. | Blocking buffer: 3% nonfat dry milk in TBST. | Detection: ECL Basic Kit. | Exposure time: 15s.