

Product datasheet for **TA382837S**

TRIM62 Rabbit Polyclonal Antibody


Product data:

Product Type:	Primary Antibodies
Applications:	ELISA, IHC, WB
Recommended Dilution:	WB, 1:500 - 1:2000 IHC-P, 1:50 - 1:200 ELISA, Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.
Reactivity:	Human, Mouse, Rat
Modifications:	Unmodified
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Formulation:	Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH 7.3.
Concentration:	lot specific
Purification:	Affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C. Avoid freeze / thaw cycles.
Stability:	Shelf life: one year from despatch.
Predicted Protein Size:	54kDa
Gene Name:	tripartite motif containing 62
Database Link:	Entrez Gene 55223 Human Q9BVG3
Background:	Enables identical protein binding activity; transcription coactivator activity; and ubiquitin-protein transferase activity. Involved in several processes, including negative regulation of viral transcription; positive regulation of NF-kappaB transcription factor activity; and positive regulation of antifungal innate immune response. Is active in cytoplasm.
Synonyms:	DEAR1; FLJ10759; FLJ16558



[View online »](#)

Product images:



Western blot analysis of various lysates using TRIM62 Rabbit pAb ([TA382837]) at 1:1000 dilution.


Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 90s.



Immunohistochemistry analysis of paraffin-embedded Human colon using TRIM62 Rabbit pAb ([TA382837]) at dilution of 1:100 (40x lens). Microwave antigen retrieval performed with 0.01M PBS Buffer (pH 7.2) prior to IHC staining.