

Product datasheet for TA382886S

Tuberin (TSC2) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: WE

Reactivity: WB,1:500 - 1:2000

Reactivity: Human, Mouse

Modifications: Phospho T1462

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: A synthetic phosphorylated peptide around T1462 of human TSC2 (NP_000539.2).

Formulation: Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

Concentration: lot specific

Purification: Affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C. Avoid freeze / thaw cycles.

Stability: Shelf life: one year from despatch.

Predicted Protein Size: 25kDa/187-200kDa **Gene Name:** tuberous sclerosis 2

Database Link: Entrez Gene 7249 Human

P49815

Background: Mutations in this gene lead to tuberous sclerosis complex. Its gene product is believed to be a

tumor suppressor and is able to stimulate specific GTPases. The protein associates with hamartin in a cytosolic complex, possibly acting as a chaperone for hamartin. Alternative

splicing results in multiple transcript variants encoding different isoforms.

Synonyms: FLJ43106; LAM; TSC4; tuberin




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:



Western blot analysis of extracts of MCF7 cells, using Phospho-TSC2-T1462 antibody ([TA382886]) at 1:1000 dilution.MCF7 cells were treated by IGF-1 (50 ng/ml) at 37°C for 5 minutes after serum-starvation overnight. | Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. | Lysates/proteins: 25ug per lane. | Blocking buffer: 3% nonfat dry milk in TBST. | Detection: ECL Basic Kit. | Exposure time: 60s.