

Product datasheet for TA383194S

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

valyl tRNA synthetase (VARS) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: ELISA, ICC/IF, IHC, WB

Recommended Dilution: WB.1:500 - 1:2000

IHC-P,1:50 - 1:100 IF/ICC,1:50 - 1:100

ELISA,Recommended starting concentration is 1 μg/mL. Please optimize the concentration

based on your specific assay requirements.

Reactivity: Human, Mouse, Rat

Modifications: Unmodified

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Formulation: Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

Concentration: lot specific

Purification: Affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C. Avoid freeze / thaw cycles.

Stability: Shelf life: one year from despatch.

Predicted Protein Size: 140kDa

Gene Name: valyl-tRNA synthetase

Database Link: Entrez Gene 7407 Human

P26640

Background: Aminoacyl-tRNA synthetases catalyze the aminoacylation of tRNA by their cognate amino

acid. Because of their central role in linking amino acids with nucleotide triplets contained in tRNAs, aminoacyl-tRNA synthetases are thought to be among the first proteins that appeared in evolution. The protein encoded by this gene belongs to class-I aminoacyl-tRNA synthetase


family and is located in the class III region of the major histocompatibility complex.

Synonyms: G7A; ValRS; VARS1; VARS2






Product images:




Western blot analysis of various lysates using VARS Rabbit pAb ([TA383194]) at 1:1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit .

Exposure time: 30s.




Immunohistochemistry analysis of paraffinembedded Rat brain using VARS Rabbit pAb ([TA383194]) at dilution of 1:100 (40x lens). Microwave antigen retrieval performed with 0.01M PBS Buffer (pH 7.2) prior to IHC staining.






Immunohistochemistry analysis of paraffinembedded Human breast cancer using VARS Rabbit pAb ([TA383194]) at dilution of 1:100 (40x lens). Microwave antigen retrieval performed with 0.01M PBS Buffer (pH 7.2) prior to IHC staining.



Immunohistochemistry analysis of paraffinembedded Mouse brain using VARS Rabbit pAb ([TA383194]) at dilution of 1:100 (40x lens). Microwave antigen retrieval performed with 0.01M PBS Buffer (pH 7.2) prior to IHC staining.



Immunofluorescence analysis of L929 cells using VARS Rabbit pAb ([TA383194]) at dilution of 1:100 (40x lens). Secondary antibody: Cy3-conjugated Goat anti-Rabbit IgG (H+L) (AS007) at 1:500 dilution. Blue: DAPI for nuclear staining.