

Product datasheet for TA383309S

WDR48 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB.1:500 - 1:2000

IHC,1:50 - 1:100

Reactivity: Human, Mouse, Rat

Modifications: Unmodified

Rabbit Host: Isotype: lgG

Clonality: Polyclonal

Immunogen: Recombinant fusion protein containing a sequence corresponding to amino acids 450-677 of

human WDR48 (NP_065890.1).

Formulation: Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

Concentration: lot specific

Purification: Affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C. Avoid freeze / thaw cycles.

Stability: Shelf life: one year from despatch. **Predicted Protein Size:** 13kDa/45kDa/66kDa/75kDa/76kDa

Gene Name: WD repeat domain 48

Database Link: Entrez Gene 57599 Human

O8TAF3

Background: The protein encoded by this gene has been shown to interact with ubiquitin specific

peptidase 1 (USP1), activating the deubiquitinating activity of USP1 and allowing it to remove

the ubiquitin moiety from monoubiquitinated FANCD2. FANCD2 is ubiquitinated in response

to DNA damage.

Synonyms: DKFZp686G1794; KIAA1449; P80; UAF1




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:



Western blot analysis of extracts of various cell lines, using WDR48 antibody ([TA383309]) at 1:1000 dilution.|Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution.|Lysates/proteins: 25ug per lane.|Blocking buffer: 3% nonfat dry milk in TBST.|Detection: ECL Basic Kit.|Exposure time: 15s.