

Product datasheet for TA383398S

YAP1 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: ICC/IF, IHC, WB

Recommended Dilution: WB,1:500 - 1:1000

IHC,1:50 - 1:200 IF,1:50 - 1:100

Reactivity: Human, Mouse, Rat

Modifications: Phospho S127

Host: Rabbit

Isotype: IgG

Clonality: Polyclonal

Immunogen: A synthetic phosphorylated peptide around S127 of human YAP1 (NP_001123617.1).

Formulation: Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

Concentration: lot specific

Purification: Affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C. Avoid freeze / thaw cycles.

Stability: Shelf life: one year from despatch.

Predicted Protein Size: 36kDa/48kDa/49kDa/50kDa/52kDa/53kDa/54kDa

Gene Name: Yes associated protein 1

Database Link: Entrez Gene 10413 Human

P46937

Background: This gene encodes a downstream nuclear effector of the Hippo signaling pathway which is

involved in development, growth, repair, and homeostasis. This gene is known to play a role in the development and progression of multiple cancers as a transcriptional regulator of this signaling pathway and may function as a potential target for cancer treatment. Alternative

splicing results in multiple transcript variants encoding different isoforms.

Synonyms: YAP; YAP2; YAP65; YKI




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:




Western blot analysis of extracts of NIH3T3 cells, using Phospho-YAP1-S127 antibody ([TA383398]) at 1:1000 dilution.NIH3T3 cells were treated by Sorbitol (0.2M) at 37°C for 60 minutes after serum-starvation overnight. | Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. | Lysates/proteins: 25ug per lane. | Blocking buffer: 3% BSA. | Detection: ECL Enhanced Kit. | Exposure time: 60s.



Immunofluorescence analysis of HeLa cells using Phospho-YAP1-S127 Rabbit pAb ([TA383398]) at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.





Immunofluorescence analysis of NIH-3T3 cells using Phospho-YAP1-S127 Rabbit pAb ([TA383398]) at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.