

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for TA383656

Tartrate Resistant Acid Phosphatase (ACP5) Mouse Monoclonal Antibody [Clone ID: 8A10-8D6-3A3]


Product data:

Product Type:	Primary Antibodies
Clone Name:	8A10-8D6-3A3
Applications:	IHC
Recommended Dilution:	IHC-p: 1/100-1/500
Reactivity:	Human
Host:	Mouse
lsotype:	lgG2a, kappa
Clonality:	Monoclonal
Immunogen:	Synthesized peptide derived from human TRAP
Formulation:	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.
Concentration:	lot specific
Purification:	Affinity Chromatography
Conjugation:	Unconjugated
Storage:	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Stability:	1 year
Gene Name:	acid phosphatase 5, tartrate resistant
Database Link:	<u>Entrez Gene 54 Human</u> <u>P13686</u>
Background:	Swiss-Prot Acc.P13686.
Synonyms:	MGC117378; TR-AP; TRAP; TrATPase




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


Product images:




Immunohistochemical analysis of paraffinembedded Gaint cell tumor. 1, Antibody was diluted at 1:200(4°,overnight). 2, Tris-EDTA,pH8.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 30min).



Immunohistochemical analysis of paraffinembedded Gaint cell tumor. 1, Antibody was diluted at 1:200(4°,overnight). 2, Tris-EDTA,pH8.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 30min).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US 



Immunohistochemical analysis of paraffinembedded Lung. 1, Antibody was diluted at 1:200(4°,overnight). 2, Tris-EDTA,pH8. was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 30min).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US