

Product datasheet for TA383666

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

alpha smooth muscle Actin (ACTA2) Mouse Monoclonal Antibody [Clone ID: 3G2-2G9-4G5]

Product data:

Product Type: Primary Antibodies

Clone Name: 3G2-2G9-4G5
Applications: IF, IHC, WB

Recommended Dilution: WB: 1/5000-50000

ICC/IF: 1/100-1/200 IHC: 1/1000-2000

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Synthetic Peptide of α-SMA

Formulation: Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.03% Proclin 300, pH 7.3.

Concentration: lot specific

Purification: Affinity Purified
Conjugation: Unconjugated

Storage: Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Stability: 1 year

Predicted Protein Size: Observed MW (kDa):42

Gene Name: actin, alpha 2, smooth muscle, aorta

Database Link: Entrez Gene 59 Human

P62736

Background: Swiss-Prot Acc.P62736.Actins are highly conserved proteins that are involved in various types

of cell motility and are ubiquitously expressed in all eukaryotic cells. Miscellaneousln vertebrates 3 main groups of actin isoforms, alpha, beta and gamma have been identified. The alpha actins are found in muscle tissues and are a major constituent of the contractile apparatus. The beta and gamma actins coexist in most cell types as components of the

cytoskeleton and as mediators of internal cell motility.







Synonyms:

AAT6; ACTSA; ACTVS; Alpha-actin-2


Product images:




Western blot detection of α -Smooth Muscle Actin in Rat Brain,MCF7,C6 and 3T3 cell lysates using α -Smooth Muscle Actin (3G2) Mouse mAb (1:1000 diluted).Predicted band size:42KDa.Observed band size:42KDa.



Western blot detection of α -Smooth Muscle Actin in Hela,A549,HL-6,U2OS,C6 cell lysates using α -Smooth Muscle Actin (3G2) antibody. Observed band size:42kDa.







Immunohistochemical analysis of paraffinembedded Mouse Cecal Tissue using $\alpha\text{-SMA}$ Monoclonal Antibody.