

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Product datasheet for TA383666S

## alpha smooth muscle Actin (ACTA2) Mouse Monoclonal Antibody [Clone ID: 3G2-2G9-4G5]

## **Product data:**

Product Type:	Primary Antibodies
Clone Name:	3G2-2G9-4G5
Applications:	IF, IHC, WB
Recommended Dilution:	WB: 1/5000-50000 ICC/IF: 1/100-1/200 IHC: 1/1000-2000
Reactivity:	Human, Mouse, Rat
Host:	Mouse
lsotype:	lgG1
Clonality:	Monoclonal
Immunogen:	Synthetic Peptide of α-SMA
Formulation:	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.03% Proclin 300, pH 7.3.
Concentration:	lot specific
Purification:	Affinity Purified
Conjugation:	Unconjugated
Storage:	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Stability:	1 year
Predicted Protein Size:	Observed MW (kDa):42
Gene Name:	actin, alpha 2, smooth muscle, aorta
Database Link:	<u>Entrez Gene 59 Human</u> <u>P62736</u>
Background:	Swiss-Prot Acc.P62736.Actins are highly conserved proteins that are involved in various types of cell motility and are ubiquitously expressed in all eukaryotic cells.MiscellaneousIn vertebrates 3 main groups of actin isoforms, alpha, beta and gamma have been identified. The alpha actins are found in muscle tissues and are a major constituent of the contractile apparatus. The beta and gamma actins coexist in most cell types as components of the cytoskeleton and as mediators of internal cell motility.




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Synonyms:

### AAT6; ACTSA; ACTVS; Alpha-actin-2

# **Product images:**




Western blot detection of α-Smooth Muscle Actin in Rat Brain,MCF7,C6 and 3T3 cell lysates using α-Smooth Muscle Actin (3G2) Mouse mAb (1:1000 diluted).Predicted band size:42KDa.Observed band size:42KDa.

Western blot detection of  $\alpha$ -Smooth Muscle Actin in Hela,A549,HL-6,U2OS,C6 cell lysates using  $\alpha$ -Smooth Muscle Actin (3G2) antibody. Observed band size:42kDa.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US





Immunohistochemical analysis of paraffinembedded Mouse Cecal Tissue using  $\alpha$ -SMA Monoclonal Antibody.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US