

Product datasheet for TA383689S

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

EMAP II (AIMP1) Rabbit Monoclonal Antibody [Clone ID: R01-5A9]

Product data:

Product Type: Primary Antibodies

Clone Name: R01-5A9

Applications: WB

Recommended Dilution: WB: 1/1000

Reactivity: Human, Rat
Host: Rabbit

Isotype: IgG

Clonality: Monoclonal

Immunogen: A synthetic peptide of human EMAP II

Formulation: 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA

Concentration: lot specific

Purification: Affinity Purified
Conjugation: Unconjugated

Storage: Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Stability: 1 year

Predicted Protein Size: Calculated MW: 34 kDa; Observed MW: 34 kDa

Gene Name: aminoacyl tRNA synthetase complex interacting multifunctional protein 1

Database Link: Entrez Gene 9255 Human

Q12904






Background:

Swiss-Prot Acc.Q12904.Non-catalytic component of the multisynthase complex. Stimulates the catalytic activity of cytoplasmic arginyl-tRNA synthase. Binds tRNA. Possesses inflammatory cytokine activity. Negatively regulates TGF-beta signaling through stabilization of SMURF2 by binding to SMURF2 and inhibiting its SMAD7-mediated degradation. Involved in glucose homeostasis through induction of glucagon secretion at low glucose levels. Promotes dermal fibroblast proliferation and wound repair. Regulates KDELR1-mediated retention of HSP90B1/gp96 in the endoplasmic reticulum. Plays a role in angiogenesis by inducing endothelial cell migration at low concentrations and endothelian cell apoptosis at high concentrations. Induces maturation of dendritic cells and monocyte cell adhesion. Modulates endothelial cell responses by degrading HIF-1A through interaction with PSMA7.


Synonyms:

EMAP-2; EMAP1; p43; SCYE1

Product images:



Western blot detection of EMAP II/AIMP1 in HT1080 lysates using EMAP II/AIMP1 antibody.Predicted band size:34kDa.Observed band size:34kDa.



Western blot detection of EMAP II in C6 cell lysates using EMAP II Rabbit mAb(1:1000 diluted). Predicted band size: 34kDa. Observed band size: 34kDa.