

Product datasheet for TA383753M

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

ASH2L Rabbit Monoclonal Antibody [Clone ID: R05-7E1]

Product data:

Product Type: Primary Antibodies

Clone Name: R05-7E1

Applications: IF, IHC, WB

Recommended Dilution: WB: 1/2000-1/10000

IHC: 1/20 ICC/IF: 1/500

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Monoclonal

Immunogen: A synthetic peptide of human ASH2L

Formulation: 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA

Concentration: lot specific

Purification: Affinity Purified
Conjugation: Unconjugated

Storage: Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Stability: 1 year

Predicted Protein Size: Calculated MW: 69 kDa; Observed MW: 80 kDa

Gene Name: ASH2 like histone lysine methyltransferase complex subunit

Database Link: Entrez Gene 9070 Human

Q9UBL3

Background: Swiss-Prot Acc.Q9UBL3.Component of the Set1/Ash2 histone methyltransferase (HMT)

complex, a complex that specifically methylates 'Lys-4' of histone H3, but not if the neighboring 'Lys-9' residue is already methylated. As part of the MLL1/MLL complex it is involved in methylation and dimethylation at 'Lys-4' of histone H3. May function as a


transcriptional regulator. May play a role in hematopoiesis.

Synonyms: ASH2; ash2-like; ASH2L1; ASH2L2; Bre2






Product images:




Western blot analysis of ASH2L in C6, 3T3, Hela lysates using ASH2L antibody.



Immunohistochemistry analysis of paraffinembedded Human tonsil using ASH2L antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.





Immunocytochemistry analysis of ASH2L(green) in Hela using ASH2L antibody, and DAPI(blue)