

Product datasheet for TA383786

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

ATP6V0D1 Rabbit Monoclonal Antibody [Clone ID: R07-1A5]

Product data:

Product Type: Primary Antibodies

Clone Name: R07-1A5

Applications: IF, IHC, IP, WB

Recommended Dilution: WB: 1/1000

IHC: 1/20 ICC/IF: 1/50 IP: 1/20

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Monoclonal

Immunogen: Recombinant protein of human ATP6V0D1

Formulation: 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA

Concentration: lot specific

Purification: Affinity Purified
Conjugation: Unconjugated

Storage: Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Stability: 1 year

Predicted Protein Size: Calculated MW: 40 kDa; Observed MW: 40 kDa

Gene Name: ATPase H+ transporting V0 subunit d1

Database Link: Entrez Gene 9114 Human

P61421






Background:

Swiss-Prot Acc.P61421.Subunit of the integral membrane V0 complex of vacuolar ATPase. Vacuolar ATPase is responsible for acidifying a variety of intracellular compartments in eukaryotic cells, thus providing most of the energy required for transport processes in the vacuolar system. May play a role in coupling of proton transport and ATP hydrolysis . May play a role in cilium biogenesis through regulation of the transport and the localization of proteins to the cilium . In aerobic conditions, involved in intracellular iron homeostasis, thus triggering the activity of Fe2+ prolyl hydroxylase (PHD) enzymes, and leading to HIF1A hydroxylation and subsequent proteasomal degradation (PubMed:28296633).


Synonyms:

ATP6D; ATP6DV; P39; VATX; Vma6; VPATPD

Product images:




Western blot analysis of ATP6V0D1 in K562, rat Brain, C6, 3T3, Hela lysates using ATP6V0D1 antibody.



Immunohistochemistry analysis of paraffinembedded Human colon cancer using ATP6V0D1 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.





Immunocytochemistry analysis of ATP6V0D1(green) in Hela using ATP6V0D1 antibody,and DAPI(blue)