

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Product datasheet for TA383807S

# Bcl2 Binding component 3 (BBC3) Rabbit Monoclonal Antibody [Clone ID: R05-9C7]


### **Product data:**

Product Type:	Primary Antibodies
Clone Name:	R05-9C7
Applications:	IF, IHC, WB
Recommended Dilution:	WB: 1/1000 IHC: 1/20-1/100 ICC/IF: 1/50-1/100
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
lsotype:	IgG
Clonality:	Monoclonal
Immunogen:	A synthetic peptide of human PUMA
Formulation:	50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA
Concentration:	lot specific
Purification:	Affinity Purified
Conjugation:	Unconjugated
Storage:	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Stability:	1 year
Predicted Protein Size:	Calculated MW: 21 kDa; Observed MW: 21 kDa
Gene Name:	BCL2 binding component 3
Database Link:	<u>Entrez Gene 27113 Human</u> <u>Q9BXH1</u>
Background:	Swiss-Prot Acc.Q9BXH1.Essential mediator of p53/TP53-dependent and p53/TP53- independent apoptosis (PubMed:11463391). Functions by promoting partial unfolding of BCL2L1 and dissociation of BCL2L1 from p53/TP53. Regulates ER stress-induced neuronal apoptosis (PubMed:23340338).
Synonyms:	FLJ42994; JFY-1; JFY1; PUMA




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

## **Product images:**




Western blot analysis of PUMA in K562 lysates using PUMA antibody.




Western blot analysis of PUMA in Jurkat, THP-1, C6, 3T3, Hela lysates using PUMA antibody

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry analysis of paraffinembedded Human breast cancer using PUMA antibody.High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Immunocytochemistry analysis of PUMA (green) in 293T using PUMA antibody, and DAPI(blue).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US