

Product datasheet for **TA383823S**

BNIP3 Rabbit Monoclonal Antibody [Clone ID: R09-1G8]

Product data:

Product Type:	Primary Antibodies
Clone Name:	R09-1G8
Applications:	IF, WB
Recommended Dilution:	WB: 1/1000 ICC/IF: 1/50
Reactivity:	Human, Rat
Host:	Rabbit
Isotype:	IgG
Clonality:	Monoclonal
Immunogen:	A synthetic peptide of human BNIP3
Formulation:	50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA
Concentration:	lot specific
Purification:	Affinity Purified
Conjugation:	Unconjugated
Storage:	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Stability:	1 year
Predicted Protein Size:	Calculated MW: 28 kDa; Observed MW: 28 kDa
Gene Name:	BCL2/adenovirus E1B 19kDa interacting protein 3
Database Link:	Entrez Gene 664 Human Q12983




[View online »](#)

Background:


Swiss-Prot Acc.Q12983. Apoptosis-inducing protein that can overcome BCL2 suppression. May play a role in repartitioning calcium between the two major intracellular calcium stores in association with BCL2. Involved in mitochondrial quality control via its interaction with SPATA18/MIEAP: in response to mitochondrial damage, participates in mitochondrial protein catabolic process (also named MALM) leading to the degradation of damaged proteins inside mitochondria. The physical interaction of SPATA18/MIEAP, BNIP3 and BNIP3L/NIX at the mitochondrial outer membrane regulates the opening of a pore in the mitochondrial double membrane in order to mediate the translocation of lysosomal proteins from the cytoplasm to the mitochondrial matrix. Plays an important role in the calprotectin (S100A8/A9)-induced cell death pathway.

Synonyms:


NIP3

Product images:

Western blot analysis of BNIP3 in SH-SY5Y lysates using BNIP3 antibody.



Western blot analysis of BNIP3 in rat Brain lysates using BNIP3 antibody.



Immunocytochemistry analysis of BNIP3(green) in HeLa using BNIP3 antibody, and DAPI(blue)