

Product datasheet for TA383895M

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

HP1 alpha (CBX5) Mouse Monoclonal Antibody [Clone ID: 1E8-5C3-10E1]

Product data:

Product Type: Primary Antibodies

Clone Name: 1E8-5C3-10E1

Applications: IHC, WB

Recommended Dilution: WB: 1/500-1000

IHC: 1/100-200

Reactivity: Human, Rat, Mouse

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Purified recombinant protein expressed in E.coli.

Formulation: Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.03% Proclin 300, pH 7.3.

Concentration: lot specific

Purification: Affinity Purified
Conjugation: Unconjugated

Storage: Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Stability: 1 year Predicted Protein Size: 22kDa

Gene Name: chromobox 5

Database Link: Entrez Gene 23468 Human

P45973

Background: Swiss-Prot Acc.P45973.Component of heterochromatin that recognizes and binds histone H3

tails methylated at 'Lys-9' (H3K9me), leading to epigenetic repression. In contrast, it is excluded from chromatin when 'Tyr-41' of histone H3 is phosphorylated (H3Y41ph). Can interact with lamin-B receptor (LBR). This interaction can contribute to the association of the heterochromatin with the inner nuclear membrane. Involved in the formation of functional


kinetochore through interaction with MIS12 complex proteins.

Synonyms: HP1; HP1-ALPHA; HP1A; HP1Hs-alpha






Product images:




Western blot detection of HP1 α in COS7,Hela cell lysates using HP1 α (1E8) Mouse mAb(1:1000 diluted).Predicted band size:22KDa.Observed band size:22KDa.




Immunohistochemistry analysis of paraffinembedded Human Colon Carcinoma Tissue using HP1 alpha (1E8) antibody.High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.





Immunohistochemical analysis of paraffinembedded Human Colon Carcinoma Tissue using HP-1 α Mouse mAb diluted at 1:200.



Immunohistochemical analysis of paraffinembedded Human Placenta Tissue using HP-1 alpha; Mouse mAb diluted at 1:200