

Product datasheet for TA384045S

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CREB1 Rabbit Monoclonal Antibody [Clone ID: R08-4H9]

Product data:

Product Type: Primary Antibodies

Clone Name: R08-4H9

Applications: IHC, IP, WB

Recommended Dilution: WB: 1/1000

IHC: 1/20 IP: 1/20

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Monoclonal

Immunogen: A synthetic peptide of human CREB

Formulation: 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA

Concentration: lot specific

Purification: Affinity Purified Conjugation: Unconjugated

Storage: Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Stability: 1 year

Predicted Protein Size: Calculated MW: 37 kDa; Observed MW: 43 kDa

Gene Name: cAMP responsive element binding protein 1

Database Link: Entrez Gene 1385 Human

P16220

Background: Swiss-Prot Acc.P16220.Phosphorylation-dependent transcription factor that stimulates

transcription upon binding to the DNA cAMP response element (CRE), a sequence present in

many viral and cellular promoters. Transcription activation is enhanced by the TORC coactivators which act independently of Ser-133 phosphorylation. Involved in different cellular processes including the synchronization of circadian rhythmicity and the


differentiation of adipose cells. Sites Feature keyPosition(s) Description






Synonyms: CREB; CREB-1; MGC9284; OTTHUMP00000206660

Product images:




Western blot analysis of CREB in 3T3 lysates using CREB antibody.



Western blot detection of CREB in 3T3 lysates using CREB antibody.Predicted band size:43kDa.





Immunohistochemistry of CREB in paraffinembedded Human lung cancer tissue using CREB Rabbit mAb at dilution 1/20