

## **Product datasheet for TA384066**

## **CX3CR1 Rabbit Polyclonal Antibody**

## **Product data:**

**Product Type:** Primary Antibodies

Applications: ELISA, IHC, WB

Recommended Dilution: WB: 1/500-1/2000

IHC-p: 1/100-300 ELISA: 1/20000

Reactivity: Human, Mouse, Rat

**Host:** Rabbit

**Isotype:** IgG

Clonality: Polyclonal

Immunogen: Synthesized peptide derived from Fractalkine Receptor . at AA range: 120-200

**Formulation:** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.

Concentration: lot specific

Purification: Affinity Purified

Conjugation: Unconjugated

Storage: Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

**Stability:** 1 year

Predicted Protein Size: Observed MW (kDa):40

Database Link: P49238

Background: Swiss-Prot Acc.P49238.




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**




Western blot analysis of Fractalkine Receptor in U87 lysates using Fractalkine Receptor antibody.




Immunohistochemistry analysis of paraffinembedded rat brain using Fractalkine Receptor antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.





Immunohistochemistry analysis of paraffinembedded rat brain using Fractalkine Receptor antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Immunohistochemistry analysis of paraffinembedded rat brain using Fractalkine Receptor antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.