

# Product datasheet for TA384091

## DDX21 Rabbit Monoclonal Antibody [Clone ID: R04-4J2]

### **Product data:**

### Product Type: **Primary Antibodies Clone Name:** R04-4|2 **Applications:** IF, WB Recommended Dilution: WB: 1/1000 ICC/IF: 1/100 **Reactivity:** Human Rabbit Host: Isotype: lgG Monoclonal **Clonality:** Immunogen: A synthetic peptide of human DDX21 Formulation: 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA Concentration: lot specific **Purification:** Affinity Purified **Conjugation:** Unconjugated Storage: Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles. Stability: 1 year Calculated MW: 87 kDa; Observed MW: 87 kDa Predicted Protein Size: DEAD-box helicase 21 Gene Name: Database Link: Entrez Gene 9188 Human Q9NR30

View online »

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn


### Scheme DDX21 Rabbit Monoclonal Antibody [Clone ID: R04-4J2] – TA384091

Background: Swiss-Prot Acc.Q9NR30.RNA helicase that acts as a sensor of the transcriptional status of both RNA polymerase (Pol) I and II: promotes ribosomal RNA (rRNA) processing and transcription from polymerase II (Pol II) (PubMed:25470060). Binds various RNAs, such as rRNAs, snoRNAs, 7SK and, at lower extent, mRNAs (PubMed:25470060). In the nucleolus, localizes to rDNA locus, where it directly binds rRNAs and snoRNAs, and promotes rRNA transcription, processing and modification. Required for rRNA 2'-O-methylation, possibly by promoting the recruitment of late-acting snoRNAs SNORD56 and SNORD58 with preribosomal complexes (PubMed:25470060, PubMed:25477391). In the nucleoplasm, binds 7SK RNA and is recruited to the promoters of Pol II-transcribed genes: acts by facilitating the release of P-TEFb from inhibitory 7SK snRNP in a manner that is dependent on its helicase activity, thereby promoting transcription of its target genes (PubMed:25470060). Functions as cofactor for JUN-activated transcription: required for phosphorylation of JUN at 'Ser-77' (PubMed:11823437, PubMed:25260534). Can unwind double-stranded RNA (helicase) and can fold or introduce a secondary structure to a single-stranded RNA (foldase) (PubMed:9461305). Involved in rRNA processing (PubMed:14559904, PubMed:18180292). May bind to specific miRNA hairpins (PubMed:28431233).

Synonyms:

DKFZp686F21172; Gu-alpha; GUA; GURDB; RH-II/GU; RH-II/GuA


### **Product images:**



Western blot detection of DDX21 in Hela cell lysates using DDX21 Rabbit mAb(1:1000 diluted).Predicted band size:87kDa.Observed band size:87kDa.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US





Immunocytochemistry analysis of DDX21 (green) in 293T using DDX21 antibody, and DAPI(blue).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US