

Product datasheet for TA384097S

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

DGAT1 Rabbit Monoclonal Antibody [Clone ID: R02-4G6]

Product data:

Product Type: Primary Antibodies

Clone Name: R02-4G6
Applications: IHC, IP, WB

Recommended Dilution: WB: 1/2000-1/10000

IHC: 1/20 IP: 1/20

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Monoclonal

Immunogen: Recombinant protein of human DGAT1

Formulation: 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA

Concentration: lot specific

Purification: Affinity Purified Conjugation: Unconjugated

Storage: Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Stability: 1 year

Predicted Protein Size: Calculated MW: 55 kDa; Observed MW: 55 kDa

Gene Name: diacylglycerol O-acyltransferase 1

Database Link: Entrez Gene 8694 Human

075907

Background: Swiss-Prot Acc.O75907.Catalyzes the terminal and only committed step in triacylglycerol

synthesis by using diacylglycerol and fatty acyl CoA as substrates. In contrast to DGAT2 it is not essential for survival. May be involved in VLDL (very low density lipoprotein) assembly. In liver, plays a role in esterifying exogenous fatty acids to glycerol. Functions as the major acyl-CoA retinol acyltransferase (ARAT) in the skin, where it acts to maintain retinoid homeostasis


and prevent retinoid toxicity leading to skin and hair disorders.






Synonyms: AGRP1; ARGP1; DGAT

Product images:



Western blot detection of DGAT1 in K562 cell lysates using DGAT1 Rabbit mAb(1:1000 diluted). Predicted band size:55kDa. Observed band size:55kDa.



Immunohistochemistry of DGAT1 in paraffinembedded Human colon cancer tissue using DGAT1 Rabbit mAb at dilution 1/20