

Product datasheet for TA384191S

Estrogen Receptor beta (ESR2) Rabbit Polyclonal Antibody

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn


Product Type:	Primary Antibodies
Applications:	ELISA, IF, IHC, WB
Recommended Dilution:	WB: 1/500-2000 ICC/IF: 1/50-300 IHC: 1/50-300
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
lsotype:	lgG
Clonality:	Polyclonal
Immunogen:	The antiserum was produced against synthesized peptide derived from human Estrogen Receptor-beta. AA range:71-120
Formulation:	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.
Concentration:	lot specific
Purification:	Affinity Purified
Conjugation:	Unconjugated
Storage:	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Stability:	1 year
Predicted Protein Size:	Observed MW (kDa):59
Gene Name:	estrogen receptor 2
Database Link:	<u>Entrez Gene 2100 Human</u> <u>Q92731</u>
Background:	Swiss-Prot Acc.Q92731.
Synonyms:	ER-BETA; Erb; ESR-BETA; ESRB; ESTRB; NR3A2




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Product images:




Western blot analysis of ER beta in 3T3, VEC lysates using ER β antibody.



Western blot analysis of ER beta in COLO205 lysates using $\text{ER}\beta$ antibody

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemical analysis of paraffinembedded Human tonsils using ER beta antibody.High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.Negative control was used by secondary antibody only.

Immunohistochemistry analysis of paraffinembedded rat liver tissue using ER β antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.Negative control was used by secondary antibody only.


Immunohistochemistry analysis of paraffinembedded mouse lung tissue using ER β antibody.High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval. Negative control was used by secondary antibody only.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

В

С

Immunofluorescence analysis of ER beta in mouse kidney tissue using ER beta antibody(red),and DAPI (blue).



А

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US